

Safety Data Sheet

Product Name: Bubble Blaster

Revision Date: June 19<sup>th</sup> 2018



# SAFETY DATA SHEET

## SECTION 1 MATERIAL AND MANUFACTURER IDENTIFICATION

Product Identifier: Bubble Blaster

Product Use: Defoamer

COMPANY: TSI  
821 West Broadway Road  
Tempe, Arizona 85282  
Phone: (480) 784-0400

Emergency Assistance Calls: Poison Control Center (800) 222-1222 (U.S.A.) 24hrs.

## SECTION 2 HAZARD(S) IDENTIFICATION

### GHS CLASSIFICATION

Flammable Liquid (Category 4)

Acute Toxicity, Oral (Category 4)

Acute Toxicity, Dermal (Category 4)

Acute Toxicity, Inhalation (Category 5)

Serious Eye Damage and Irritation (Category 2B)

Routes of Exposure: Eye contact, skin contact, inhalation, and ingestion.

Inhalation: Unlikely to occur when used as directed. Excessive exposure may cause irritation of the respiratory tract  
Eye Contact: May cause severe irritation with possible permanent eye damage.

Skin Contact: Repeated, prolonged exposure may cause skin irritation, drying, chapping.

Ingestion: A very small quantity is unlikely to cause injury. Larger quantities may cause injury; if swallowed can cause gastrointestinal irritation; including but limited to nausea, vomiting and diarrhea.

Carcinogenic Potential: Not established

Acute Effects: This product is considered to be a potential irritant. This product should not be used for any other purpose than the intended use in section 1.

Chronic Effects: Not established



Signal word: **WARNING**

Hazard statement(s):

H316: Causes mild skin irritation.

H320: Causes eye irritation.

Health hazard	1
Flammability hazard	0
Reactivity hazard	0
Other hazard	

## Safety Data Sheet

Product Name: Bubble Blaster

Revision Date: June 19<sup>th</sup> 2018



### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS #	CONCENTRATIONS
Siloxanes And Silicones,	63148-62-9	<10

This SDS contains confidential and propriety information of TSI and is protected by copyright, trade secret and other State and Federal laws. Its receipt or possession does not convey any rights to reproduce its contents, or to manufacture, use or anything it may describe. Reproduction, disclosure, or use without specific written authorization of TSI is strictly forbidden.

### SECTION 4 FIRST-AID MEASURES

**Inhalation:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

**Eye Contact:** Causes irritation and redness. Flush eyes with a directed stream of water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Washing eyes immediately after exposure is essential to achieve maximum effectiveness and minimize potential irritation. If irritation persists, seek immediate medical attention.

**Skin Contact:** Wash contact areas with soap and water. Launder exposed clothing before reuse.

**Ingestion:** If swallowed, do not induce vomiting. Seek immediate medical attention.

### SECTION 5 FIRE-FIGHTING MEASURES

#### FLAMMABILITY PROPERTIES

*Flashpoint:* N/A

*Flammable Limits:* N/A

*Auto ignition Temperature:* N/A

#### FIREFIGHTING PROCEDURES

*General Hazard:* Smoke may contain original material, in addition to toxic and/or irritating compounds. Avoid heat or open flames

*Firefighting Instructions:* Evacuate all unnecessary personnel. Use dry chemicals, CO<sub>2</sub>, water, foam or appropriate extinguishing media for fires where water is not appropriate. No special firefighting instructions.

*Firefighting Equipment:* Firefighters should wear NIOSH/MSHA approved self-contained, positive pressure breathing apparatus and full protective clothing.

*Hazardous Combustion Products:* Combustion may release oxides of carbon and sulfur.

*Unusual Fire and Explosion Hazards:* This material will not burn until the water has evaporated. Residue can burn. Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.



## SECTION 6 ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Persons performing the cleanup should wear personal protective equipment sufficient to keep material away from skin. Avoid direct contact with material. See section 4 for First-Aid Advice. See section 5 for Firefighting Advice.

### PROTECTIVE MEASURES

To minimize exposure to all chemicals, including this product, use good industrial hygiene and common sense. Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (See section 4 for more advice). Wear NIOSH/MSHA approved organic respirator when ventilation is not adequate or when the sufficiency of ventilation to maintain concentrations below exposure limits is in question. Wear chemical safety goggles to protect against splashes or contact with eyes. See OSHA 29 CFR 1910.33

### CLEAN-UP PROCEDURES

**Small Spills:** Sweep up to dispose of spill in DOT approved waste container.

**Large Spills:** Sweep up or Scoop up and dispose into DOT approved waste containers. If possible, complete the clean up on a dry basis. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Contain all spills or leaks to prevent discharge into the environment. Responsibility of all spills or releases reported to the appropriate local, state and federal agencies falls upon the user.

#### Environmental Precautions

**Water Spill:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Land Spill:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Air Spill:** None

**General Procedures:** Clean up spills immediately, observing precautions in the Protective Equipment section.

**Release Notes:** None

**Special Protective Equipment:** None

## SECTION 7 HANDLING AND STORAGE

### HANDLING

This product is a professional strength product to be used by professionals only. Avoid breathing vapors/mist of this product. Always keep the container tightly closed and properly labeled. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Impervious boots/shoes covering should be used if material is anticipated to contact feet. As with all chemicals, practice good industrial hygiene when handling this product. In other words, always work in a well-ventilated area and avoid inhalation of product dust, do not ingest or have contact with your eyes or skin.

The manufacturer and seller warrant that this product conforms to its standard specifications when used according to directions. As the conditions of the method of its use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true but all statements and suggestions are made without any warranty, expressed or implied, regarding accuracy of the information. The hazards connected with the use of this material and the results to be obtained from the use thereof.

### STORAGE

## Safety Data Sheet

**Product Name:** Bubble Blaster

**Revision Date:** June 19<sup>th</sup> 2018



Avoid excessive heat. Avoid storage with oxidizing or reducing agents and acids. Employees should be trained to handle this product safely. Store the product in a cool dry area away from ignition sources. Loosen closures cautiously. Products may become solid at temperatures below 0°C (32°F).

**General Procedures:** Avoid prolonged or repeated contact with skin.

**Storage:** Keep from freezing.

**Storage Temperature:** Keep from freezing.

**Loading/Unloading Viscosity:** NA = Not Applicable

**Storage Pressure:** NA = Not Applicable

**Storage Segregation Class:** N

**Shelf Life:** At least 2 years from date of manufacture

**Electrostatic/ Accumulation Hazard:** None

### SECTION 8 EXPOSURE / PERSONAL PROTECTION

#### EXPOSURE LIMITS

Exposure limits have not been established for this mixture. Avoid, as far as reasonably practicable, inhalation of vapor, mists or fumes generated. However, limits for components listed below:

COMPONENT	OSHA PEL TWA STEL	ACGIH TLV TWA STEL	NIOSH TWA STEL
Siloxanes And Silicones	Not Established	Not Established	Not Established

#### ENGINEERING CONTROLS

The level of protection and types of control will vary depending upon potential exposure conditions. If user operations generate dust, fume or mist, use adequate ventilation to keep exposure below exposure limit.

#### PERSONAL PROTECTION

*Ventilation and engineering controls:* Use only in well ventilated areas. If necessary, use exhaust ventilation to ensure adequate ventilation. Ensure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (Refer to section 4).

*Respiratory:* Wear NIOSH/MSHA approved respirator when ventilation is not adequate. A NIOSH /MSHA –approved air purifying respirator with an organic vapor cartridge or canister may be advisable under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection.

*Eye Protection:* Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33 *Skin:* Wear chemical impervious gloves. Wear protective clothing to minimize skin contact. Wash skin after use. Wash contaminated clothing and dry before reuse.

*Other:* One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.

## Safety Data Sheet

Product Name: Bubble Blaster

Revision Date: June 19<sup>th</sup> 2018



### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*Physical State and Appearance:* Liquid

*Color:* White

*Odor:* Little to N/A

*pH:* 7-7.5

*Vapor density:* N/A

*Boiling point:* 210 F

*Freezing point:* 32 F

*Melting point:* N/A

*Solubility in water:* soluble *Density:* 100%

*Flammability:* N/A *Particle size:* N/A

*Evaporation rate:* N/A

*Viscosity:* Water thin

Upper/lower flammability or explosive limits: N/A

Vapor pressure: N/A

Odor threshold: N/A

Vapor density: N/A

Flash point: N/A

Relative density: N/A

Evaporation rate: Water = 1 Defoamer = 1

Flammability (solid, gas): N/A

Upper/lower flammability or explosive limits: N/A

Decomposition temperature: N/A

Vapor pressure: N/A

Vapor density: N/A

Auto-ignition temperature: N/A

Partition coefficient: n-octanol/water: N/A

### SECTION 10 STABILITY AND REACTIVITY

*Reactivity:* None Expected.

*Hazardous Polymerization:* None Expected.

*Stability:* Stable.

*Conditions to Avoid:* None

*Possibility of Hazardous Reactions:* None Expected.

*Hazardous Decomposition Products:* None Expected.

### SECTION 11 TOXICOLOGICAL INFORMATION

Toxicological information has not been established on this mixture. Toxicological information on components within this mixture is given by:

COMPONENT	TOXICITY
Siloxanes And Silicones	DERMAL LD50: None Expected. ORAL LD50: None Expected. INHALATION LC50: None Expected.

### SECTION 12 ECOLOGICAL INFORMATION

Ecological information has not been established for this product. Ecological information on components within this mixture is given by:

COMPONENT	TOXICITY
Siloxanes And Silicones	Not Established



**SECTION 13 DISPOSAL CONSIDERATIONS**

Dispose of all waste, empty bottles and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

Do not dump into storm drains, sanitary sewers or any body of water. All disposal methods must be in compliance with all federal, State/ Provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. The vendor has no control over the management practices or the processes by which the party who handles or uses this material. The information presented here pertains only to the product as shipped in its intended condition and recommended usage.

**SECTION 14 TRANSPORT INFORMATION**

Not a hazardous material as shipped per 49 CFR table 172.101  
Consult 49 CFR to assure compliance with all applicable federal, state/provincial and local laws and regulations that may apply to you.

**SECTION 15 REGULATORY INFORMATION**

COMPONENT	REGULATIONS
Siloxanes And Silicones	Not Established

**SECTION 16 OTHER INFORMATION**

While the information is believed to be accurate, TSI makes no representations as to its accuracy or sufficiency. This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources of each individual component. Since TSI cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. The user assumes all risks incident to the use of this (these) product(s). Users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance on information contained herein. This information relates only to the product-designated herein, and does not relate to its use in combination with any other material or in any other process.